

ESD safety shoe SL 845 XP blue 2.0, S3, smooth leather, unisex, black/royal blue, size 36



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are











responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material, absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

Alu-tec® technology: The new lightness. Aluminium has not only served as a high-tech material in aviation and the automotive industry for years, but also in many ATLAS safety shoes today. The anatomically shaped aluminium toe cap is particularly light and shifts the centre of gravity of the shoe to the middle of the foot. This actively helps to prevent tripping accidents caused by imbalance. The thermally neutral behaviour of aluminium also prevents cold bridges from forming inside the shoe and thus guarantees a pleasant foot climate in all seasons.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

item number

WL58765







Products for the electronic industry







model	SL 845 XP blue 2.0 ESD
model line	SL 845 XP blue 2.0 ESD
manufacturer	ATLAS
manufacturer item number	65200-36
GPSR manufacturer information	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de
length with packaging	350 mm
width with packaging	250 mm
height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black / royal blue
Colour	blue, black
protective cap	yes
shoe execution	safety shoe
safety class	S3
shoe sole	MPU INNOFLEX system
Slip resistance	SRC
Puncture resistance	XP metal-free penetration protection
shoe width	W10 (standard width)
features shoes	 Waterproof smooth leather MPU INNOFLEX system XP metal-free penetration resistance alu-tec aluminum toe cap MPU lace protection active-X functional lining 3D cushioning system suitable for insoles-DGUV 112-191
material shoes	waterproof smooth leather
shoe size EU	36
ESD safe	yes
Category (PPE Regulation)	Category 2

Other versions

item number shoe size EU shoe width















WL58765	36	W10 (standard width)
WL58780	36	W12
WL58766	37	W10 (standard width)
WL58781	37	W12
WL58767	38	W10 (standard width)
WL58782	38	W12
WL58768	39	W10 (standard width)
WL58783	39	W12
WL58798	39	W13
WL58813	39	W14
WL58769	40	W10 (standard width)
WL58784	40	W12
WL58799	40	W13
WL58814	40	W14
WL58770	41	W10 (standard width)
WL58785	41	W12
WL58800	41	W13
WL58815	41	W14
WL58771	42	W10 (standard width)
WL58786	42	W12
WL58801	42	W13
WL58816	42	W14
WL58772	43	W10 (standard width)
WL58787	43	W12
WL58802	43	W13
WL58817	43	W14
WL58773	44	W10 (standard width)
WL58788	44	W12
WL58803	44	W13
WL58818	44	W14
WL58774	45	W10 (standard width)
WL58789	45	W12
WL58804	45	W13
WL58819	45	W14
WL58775	46	W10 (standard width)

Products for the electronic industry













WL58790	46	W12
WL58805	46	W13
WL58820	46	W14
WL58776	47	W10 (standard width)
WL58791	47	W12
WL58806	47	W13
WL58821	47	W14
WL58777	48	W10 (standard width)
WL58792	48	W12
WL58807	48	W13
WL58822	48	W14
WL58778	49	W10 (standard width)
WL58793	49	W12
WL58808	49	W13
WL58823	49	W14







