

## ESD sandal TX 360 2.0, W12, S1, Sportline, unisex, black/royal blue, size 37

---



The SportLine upper is a fabric that consists of textile fibres and combines various advantages. The fabric is particularly air-permeable, breathable and therefore very comfortable to wear. Its hydrophobic properties also make it water-repellent, quick-drying and hard-wearing.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material,

absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the abrasion-resistant MPU toe protector and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

The ATLAS® clima-stream® concept maximises breathability, balances moisture inside the shoe and optimally regulates the temperature of the environment. The use of high-quality, particularly breathable upper material, the thermoregulating inner lining and the Klima Komfort® insole ensures a unique wearing sensation.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

<b>item number</b>	<b>WL58999</b>
model	TX 360 2.0, W12 ESD
model line	TX 360 2.0 ESD
manufacturer	ATLAS
manufacturer item number	83012-37
GPSR manufacturer information	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de

length with packaging	350 mm
width with packaging	250 mm
height with packaging	150 mm
order unit	1 pair
content unit	1 pair
colour manufacturer	black / royal blue
Colour	blue, black
protective cap	yes
shoe execution	sandal
safety class	S1
shoe sole	MPU INNOFLEX system
Slip resistance	SRC
shoe width	W12
features shoes	<ul style="list-style-type: none"> <li>• SportLine upper</li> <li>• MPU INNOFLEX system</li> <li>• Steel toe cap</li> <li>• MPU toe protection</li> <li>• aktiv-X functional lining</li> <li>• 3D cushioning system</li> <li>• clima-stream concept</li> <li>• suitable for insoles-DGUV 112-191</li> </ul>
material shoes	Sportline upper
shoe size EU	37
ESD safe	yes
Category (PPE Regulation)	Category 2

## Other versions

item number	shoe size EU	shoe width
WL58984	36	W10 (standard width)
WL58998	36	W12
WL58985	37	W10 (standard width)
<b>WL58999</b>	<b>37</b>	<b>W12</b>
WL58986	38	W10 (standard width)
WL59000	38	W12
WL58987	39	W10 (standard width)
WL59001	39	W12

WL58988	40	W10 (standard width)
WL59002	40	W12
WL58989	41	W10 (standard width)
WL59003	41	W12
WL58990	42	W10 (standard width)
WL59004	42	W12
WL58991	43	W10 (standard width)
WL59005	43	W12
WL58992	44	W10 (standard width)
WL59006	44	W12
WL58993	45	W10 (standard width)
WL59007	45	W12
WL58994	46	W10 (standard width)
WL59008	46	W12
WL58995	47	W10 (standard width)
WL59009	47	W12
WL58996	48	W10 (standard width)
WL59010	48	W12
WL58997	49	W10 (standard width)
WL59011	49	W12
WL44060	50	W10 (standard width)
WL59012	50	W12