

Low shoe Anatomic Bau 560, S3, smooth leather, unisex, black, size 44



At ATLAS®, only the best quality cowhides are processed. Extremely careful selection ensures that only flawless, high-quality and soft leathers are used. The ATLAS Waterproof smooth leather has to withstand special challenges throughout the entire working day. The approx. 2mm thick full-grain cowhide leather is particularly characterised by its lasting waterproofness and thus ensures dry feet for several hours. It is also particularly breathable, durable and dimensionally stable.

ATLAS® brings together state-of-the-art technologies and the anatomical needs of every wearer. The new INNOFLEX SYSTEM® is a holistic running sole concept and supports the runner in every phase of movement. From the first to the last contact with the ground, the sole complex is permanently guided by the same, natural line of force, the INNOFLEX LINE. It optimally guides the forces from the heel to the toe and thus supports the natural line of force progression. Special areas such as the CLOUDZONE in the heel are

1/4





Products for the electronic industry





10.10.2025



responsible for the corresponding energy absorption, i.e. cushioning. The large-format tread surfaces, which are equipped with particularly energy-absorbing MPU® material, absorb the energy and return it to the movement process in a targeted manner. This guarantees fatigue-free walking throughout the entire working day.

With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibres is used for this purpose. The increased safety is not at the expense of wearing comfort, because the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

The MPU® overcap offers special protection against abrasion in the area of the shoe toe, protects the upper leather in this area against premature wear and noticeably increases the service life of the safety shoe.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

| Article no. | WL59433 |
|--------------------------|------------------|
| Model | Anatomic Bau 560 |
| Model line | Anatomic Bau 560 |
| Manufacturer | ATLAS |
| Manufacturer article no. | 35700-44 |

Products for the electronic industry













| GPSR manufacturer data | ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de |
|---------------------------------|---|
| Length with packaging | 350 mm |
| Width with packaging | 250 mm |
| Height with packaging | 150 mm |
| Sales unit | 1 pair |
| Content unit | 1 pair |
| Manufacturer colour information | black |
| Colour | black |
| Protective cap | yes |
| Type of shoes | low shoe |
| Safety class | S3 |
| Shoe sole | MPU INNOFLEX system |
| Slip resistance | SRC |
| Penetration resistance | XP metal-free penetration resistance |
| Shoe width | W10 (standard width) |
| Features (shoes) | Waterproof smooth leather MPU INNOFLEX system XP metal-free penetration resistance steel toe cap MPU overcap active-X functional lining 3D cushioning system suitable for insoles-DGUV 112-191 |
| Material (shoes) | waterproof smooth leather |
| Shoe size EU | 44 |
| Risk category (PPE regulation) | Category 2 |
| | |

Other versions

| Article no. | Shoe size EU |
|-------------|--------------|
| WL59425 | 36 |
| WL59426 | 37 |
| WL59427 | 38 |
| WL59428 | 39 |
| WL59429 | 40 |

Products for the electronic industry













| WL59430 | 41 |
|---------|----|
| WL59431 | 42 |
| WL59432 | 43 |
| WL59433 | 44 |
| WL59434 | 45 |
| WL59435 | 46 |
| WL59436 | 47 |
| WL59437 | 48 |
| WL59438 | 49 |
| WL59439 | 50 |









