

ESD low shoe GX 240 , S1, anthracite/black, size 36



The high-tech MESH UPPER encloses the foot precisely and guarantees the wearer lasting breathability, flexibility and unmistakable wearing comfort. The air texture of the fabric guarantees optimal air circulation and thus ensures a permanently pleasant foot climate.

WOMEN'S FIT

The new SPORTY LIGHT sole was specially developed to meet the needs of women's feet and thus offers maximum wearing comfort in your working environment. A high level of wearing comfort and a pleasant soft footbed played a special role in the development. Thus, through anatomical specifications and the most modern technologies, a new women's outsole with a maximum of flexibility, dynamics and comfort could be developed. The unique lamella profile is not only visually eye-catching, but also guarantees maximum slip resistance (SRC). Discover the highlights from the women's collection and be inspired!

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Especially when kneeling, wear and tear can occur in the area of the shoe toe after some time. These can be significantly reduced with the help of the reinforced toe protection and the service life of the shoe is thus increased.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

The ATLAS® clima-stream® concept maximises breathability, balances moisture inside the shoe and optimally regulates the temperature of the environment. The use of high-quality, particularly breathable upper material, the thermoregulating inner lining and the Klima Komfort® insole ensures a unique wearing sensation.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

The ATLAS women's models were specially developed to meet the needs of women's feet and thus offer maximum wearing comfort in your working environment. A high level of wearing comfort and a pleasant soft footbed played a special role in the development. Thus, thanks to anatomical specifications and the latest technologies, a women's model with the highest degree of flexibility, dynamics and comfort could be developed.

Item no.	WL60620
Model	GX 240 ESD
Model line	GX 240 ESD
Manufacturer	ATLAS
Manufacturer article no.	87900-36
GPSR manufacturer data	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de

Length with packaging	350 mm
Width with packaging	250 mm
Height with packaging	150 mm
Sales unit	1 pair
Content unit	1 pair
Manufacturer colour information	anthracite / black
Colour	anthracite, black
Protective cap	yes
Type of shoes	low shoe
Safety class	S1
Shoe sole	Sporty-Light sole technology
Slip resistance	SRC
Shoe width	W10 (standard width)
Features (shoes)	<ul style="list-style-type: none"> • toe protection • active-X functional lining • 3D cushioning system • clima-stream concept • suitable for insoles-DGUV 112-191 • Ladies model
Material (shoes)	mesh upper
Shoe size EU	36
ESD compliant	yes
Risk category (PPE regulation)	Category 2

Other versions

Item no.	Shoe size EU
WL60619	35
WL60620	36
WL60621	37
WL60622	38
WL60623	39
WL60624	40
WL60625	41
WL60626	42
WL60627	43