

Round nose pliers with cutting edge (radio pliers), black atramentized, 160 mm



Flat-round pliers with cutting edge Suitable for fine gripping and cutting work. Flat-round, long, pointed jaws. Serrated gripping surfaces. With cutting edges for soft, medium-hard and hard wire. Cutting edges additionally induction hardened, cutting edge hardness approx. 61 HRC. Pliers with integrated insulated fastening eye for attaching a fall protection device. - Shape: 0 - cutting value medium hard wire (diameter): Ø 2,5mm - cutting value hard wire (diameter): Ø 1,6mm - jaw thickness (at joint) (T1): 9,0mm - tip width (E): 3,0mm - tip thickness (D1): 2,5mm - jaw length (L3): 50,0mm - head width (W3): 16,5mm

- Suitable for fine gripping and cutting work
- Flat-round, long, pointed jaws
- Gripping surfaces serrated
- With cutting edges for soft, medium-hard and hard wire
- Cutting edges additionally induction hardened, cutting edge hardness approx. 61 HRC

Item no.	WL61403
Model	25 06 160 T
Manufacturer	KNIPEX
Manufacturer article no.	25 06 160 T
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de

Length	170 mm
Width	54 mm
Height	21 mm
Length with packaging	177 mm
Width with packaging	61 mm
Height with packaging	29 mm
Volume with packaging	0.306 dm ³
Sales unit	1 piece
Content unit	1 piece
Type of packaging	single pack
Incl. battery	no
Standards	DIN EN 60900, DIN ISO 5745 IEC 60900
RoHS compliant	no
Surface	chrome-plated
VDE	yes
Jaw thickness	9 mm
ESD compliant	no
Fastening for fall protection	ja
Jaw shape	flat-round
Tool length	160 mm
Description Head	Chrome-plated
Grip (expression)	VDE, Tethered Tools insulated with multi-component sleeves, VDE-tested; with integrated insulated fastening eye for attaching a fall protection device
Length of the jaws	50 mm
Cutting value wire diameter (hard)	1.6 mm
Cutting value wire diameter (medium)	2.5 mm
Type of pliers	snipe nose pliers

Other versions

Item no.	Fastening for fall protection
WL61403	ja
WL33537	nein