

## Crimp dies for uninsulated crimp, tube and compression cable lugs as well as compression connectors

---



Only one tool for the most common crimping applications. Quick and easy changing of crimp dies without additional tools. Safe and protected storage of the exchangeable dies in a round magazine. Comfortable, powerful crimping pliers in professional quality. Reliable crimping results as with permanently mounted crimp dies. Consistently high crimp quality due to precision inserts and positive lock (unlockable). - Application: Wire end ferrules - Capacity square millimetres: 10.0 / 16.0 / 25.0mm<sup>2</sup> - Number of nests: 4 - AWG: 20 - 7.

- Only one tool for the most common crimping applications
- Quick and easy changing of crimp dies without additional tools
- Safe and protected storage of the exchangeable dies in a round magazine
- Comfortable, powerful crimping pliers in professional quality
- Reliable crimping results as with permanently mounted crimp dies
- Consistently high crimp quality due to precision inserts and positive lock (can be unlocked)

- Crimping dies for uninsulated crimp, tube and compression cable lugs according to DIN 46234 and DIN 46235 as well as uninsulated crimp, butt and compression connectors according to DIN 46341 and DIN 46267

<b>Item no.</b>	<b>WL61949</b>
Model	97 39 13
Manufacturer	KNIPEX
Manufacturer article no.	97 39 13
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
Length	40 mm
Width	32 mm
Height	12 mm
Length with packaging	80 mm
Width with packaging	50 mm
Height with packaging	16 mm
Volume with packaging	0.064 dm <sup>3</sup>
Sales unit	1 piece
Content unit	1 piece
Type of packaging	single pack
Incl. battery	no
RoHS compliant	no
VDE	no
Crimping application	Wire end ferrules
Number of crimp nests	4
ESD compliant	no
AWG	20 - 7
Crimp profile	W-crimp
Type of pliers	crimp insert