

Crimp set 97 90 26 for cable connectors, 1.5 to 6 mm², incl. crimping tool in case



In the TANOS MINI-systainer® (sturdy plastic box). T-Loc closure for one-handed operation: open or close the systainer® with one turn and connect it to a second systainer®. Opening in linked state: easy and quick access to contents without disconnecting... Two stackable plastic inserts with six wells each for connectors. With an assortment of common cable connectors. with crimping tool 97 32 240. Scope of delivery: 1 x 97 32 240 KNIPLEX crimping pliers (0.5 - 6.0 mm²), 25 x KNIPLEX butt connectors, insulated blue (25 x 1.5-2.5 mm²), 25 x KNIPLEX butt connectors, insulated red (25 x 0.5-1 mm²), 25 x KNIPLEX cable lugs, ring shape Ø 5 mm (25 x 4.0-6.0 mm²), 25 x KNIPLEX cable lugs, ring shape Ø 5 mm (25 x 1.5-2.5 mm²), 25 x KNIPLEX cable lugs, ring shape Ø 4 mm (1.5-2.5 mm²), 25 x KNIPLEX cable lugs, ring shape Ø 4 mm (25 x 0.5-1 mm²), 25 x KNIPLEX round plug Ø 4 mm (0.5-1.0 mm²), 25 x KNIPLEX round plug sleeves Ø 4 mm (25 x 0.5-1.0 mm²), 25 x KNIPLEX flat plug sleeves 6.3x0.8 mm (25 x 4.0-6.0 mm²), 25 x KNIPLEX flat receptacles 6.3x0.8 mm (25 x 1.5-2.5 mm²), 25 x KNIPLEX flat receptacles 6.3x0.8 mm (25 x 0.5-1 mm²), 25 x KNIPLEX

cable lugs, ring shape Ø 6 mm (25 x 4.0-6.0 mm²),

- In TANOS MINI-systainer® (sturdy plastic box)
- T-Loc closure for one-hand operation: open or close the systainer® with one turn and connect to a second systainer®.
- Opening in linked state: easy and quick access to contents without disconnecting.
- Two stackable plastic inserts with six wells each for connectors
- With an assortment of common cable connectors

item number	WL62055
model	97 90 26
manufacturer	KNIPEX
manufacturer item number	97 90 26
length	265 mm
width	170 mm
height	67 mm
length with packaging	265 mm
width with packaging	170 mm
height with packaging	67 mm
Packaging volume	3.018 dm ³
scope of supply	crimping tool (0,5 - 6,0 mm ²) 25x butt connector, insulated, blue (25 x 1.5-2.5 mm ²) 25x butt connector, insulated red (25 x 0.5-1 mm ²) 25x cable lugs, ring shape Ø 5 mm (25 x 4.0-6.0 mm ²) 25x cable lugs, ring shape Ø 5 mm (25 x 1.5-2.5 mm ²) 25x cable lugs, ring type Ø 4 mm (1.5-2.5 mm ²) 25x cable lugs, ring shape Ø 4 mm (25 x 0.5-1 mm ²) 25x round plugs Ø 4 mm (0.5-1.0 mm ²) 25x round receptacles Ø 4 mm (25 x 0.5-1.0 mm ²) 25x flat receptacles 6,3x0,8 mm (25 x 4,0-6,0 mm ²) 25x flat receptacles 6,3x0,8 mm (25 x 1,5-2,5 mm ²) 25x flat receptacles 6,3x0,8 mm (25 x 0,5-1 mm ²) 25x cable lugs, ring shape Ø 6 mm (25 x 4.0-6.0 mm ²)
order unit	1 piece
content unit	1 piece
RoHS conform	no
VDE	no
ESD safe	no

type of pliers

crimping pliers

