

## Open-end wrench, chrome-plated, jaw position 15 °, wrench size 15 mm, 145 mm



Jaw position 15°. Basic tool chrome-plated. - Width across flats: 15mm - Length l max.: 145mm - Head thickness a max.: 7mm - Head width b max.: 37mm

- jaw position 15°.
- Basic tool chrome-plated

Item no.	WL62167
Model	98 00 15
Manufacturer	KNIPEX
Manufacturer article no.	98 00 15
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
Length	150 mm
Width	35 mm
Height	12 mm
Length with packaging	170 mm
Width with packaging	84 mm
Height with packaging	32 mm
Volume with packaging	0.441 dm <sup>3</sup>
Sales unit	1 piece
Content unit	1 piece

Products for the electronic industry



Type of packaging	single pack
Incl. battery	no
Standards	DIN EN 60900   IEC 60900
RoHS compliant	no
VDE	no
ESD compliant	no
Tool length	145 mm
Wrench size	15 mm
Wrench size	15 mm

## Other versions

Item no.	Wrench size
WL62160	1/2"
WL62161	1/4"
WL62175	3/4"
WL62176	3/8"
WL62178	5/8"
WL62177	5/16"
WL62157	7 mm
WL62179	7/16"
WL62158	8 mm
WL62159	9 mm
WL62180	9/16"
WL62162	10 mm
WL62163	11 mm
WL62164	12 mm
WL62165	13 mm
WL62166	14 mm
<b>WL62167</b>	<b>15 mm</b>
WL62168	16 mm
WL62169	17 mm
WL62170	18 mm
WL62171	19 mm

WL62172	22 mm
WL62173	24 mm
WL62174	27 mm

