

Open-end wrench, chrome-plated, jaw position 15 °, width across flats 24 mm, 210 mm



Jaw position 15°. Basic tool chrome-plated. - Width across flats: 24mm - Length l max.: 210mm - Head thickness a max.: 9mm - Head width b max.: 56mm

- jaw position 15°.
- Basic tool chrome-plated

item number	WL62173
model	98 00 24
manufacturer	KNIPEX
manufacturer item number	98 00 24
GPSR manufacturer information	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
length	220 mm
width	54 mm
height	19 mm
length with packaging	236 mm
width with packaging	88 mm
height with packaging	52 mm
Packaging volume	1.104 dm ³
order unit	1 piece
content unit	1 piece

Products for the electronic industry



type of packaging	single pack
standards	DIN EN 60900 IEC 60900
RoHS conform	no
VDE	no
ESD safe	no
tool length	210 mm
wrench width	24 mm
wrench width	24 mm

Other versions

item number	wrench width
WL62160	1/2"
WL62161	1/4"
WL62175	3/4"
WL62176	3/8"
WL62178	5/8"
WL62177	5/16"
WL62157	7 mm
WL62179	7/16"
WL62158	8 mm
WL62159	9 mm
WL62180	9/16"
WL62162	10 mm
WL62163	11 mm
WL62164	12 mm
WL62165	13 mm
WL62166	14 mm
WL62167	15 mm
WL62168	16 mm
WL62169	17 mm
WL62170	18 mm
WL62171	19 mm
WL62172	22 mm

WL62173	24 mm
WL62174	27 mm

