

Standard case, 26-piece, with insulated tools for working on electrical systems



Impact resistant plastic case. Equipped with an assortment of insulated KNIPEX tools for working on electrical installations. Foam inserts with recesses for holding the tools. Fixable partition wall. Dimensions, outside (W x H x D): 440 x 105 x 385 mm. - Internal compartments: 26pcs Scope of delivery: 1 x 98 52 KNIPEX cable knife, 1 x 98 53 03 KNIPEX stripping knife, 1 x 98 40 KNIPEX cross handle with external square 1/2", 1 x 98 47 10 KNIPEX socket for hexagon screws with internal square 1/2" (10 mm), 1 x 98 47 11 KNIPEX Socket for hexagon head screws with square neck 1/2" (11 mm), 1 x 98 47 12 KNIPEX Socket for hexagon head screws with square neck 1/2" (12 mm), 1 x 98 47 12 KNIPEX Socket for hexagon head screws with square neck 1/2" (12 mm), 1 x 98 47 12 KNIPEX Socket for hexagon head screws with square neck 1/2" (12 mm) (12 mm), 1 x 98 47 13 KNIPEX Socket for hexagon head screws with square neck 1/2" (13 mm), 1 x 98 47 14 KNIPEX Socket for hexagon head screws with square neck 1/2" (14 mm), 1 x 98 47 14 KNIPEX Socket for hexagon head screws with square neck 1/2" (14 mm), 1 x 98 47 14

KNIPEX Socket for hexagon head screws with square neck 1/2" (14 mm) (14 mm), 1 x 98 47
 17 KNIPEX Socket for hexagon head screws with square drive 1/2" (17 mm), 1 x 98 47 19
 KNIPEX Socket for hexagon head screws with square drive 1/2" (19 mm), 1 x 98 47 17
 KNIPEX Socket for hexagon head screws with square drive 1/2" (19 mm), 1 x 98 47 17
 KNIPEX Socket for hexagon head screws with square drive 1/2" (19 mm) (19 mm), 1 x 03 07
 200 KNIPEX combination pliers (for flat and round material), 1 x 98 24 00 KNIPEX
 screwdriver for Phillips® cross-slotted head screws (PH0), 1 x 98 24 01 KNIPEX screwdriver
 for Phillips® cross-slotted head screws (PH1), 1 x 98 24 02 KNIPEX Screwdriver for cross-
 slotted head screws Phillips® (PH2), 1 x 98 20 25 KNIPEX Screwdriver for slotted head
 screws (2.5 mm), 1 x 98 20 35 KNIPEX Screwdriver for slotted head screws (3.5 mm), 1 x 98
 20 40 KNIPEX screwdriver for slotted screws (4.0 mm), 1 x 98 20 55 KNIPEX screwdriver
 for slotted screws (5.5 mm), 1 x 98 00 10 KNIPEX open-ended spanner (10 mm), 1 x 98 00 11
 KNIPEX open-ended spanner (11 mm), 1 x 98 00 12 KNIPEX open-end wrench (12 mm), 1 x
 98 00 13 KNIPEX open-end wrench (13 mm), 1 x 98 00 14 KNIPEX open-end wrench (14
 mm), 1 x 98 00 17 KNIPEX open-end wrench (17 mm), 1 x 98 00 19 KNIPEX open-end
 wrench (19 mm), 1 x 70 07 160 KNIPEX side cutters,

- Impact resistant plastic case
- Equipped with an assortment of insulated KNIPEX tools for work on electrical installations
- Foam inserts with recesses for holding the tools
- Fixable partition wall
- Dimensions, outside (W x H x D): 440 x 105 x 385 mm

Item no.	WL62352
Model	98 99 12
Manufacturer	KNIPEX
Manufacturer article no.	98 99 12
GPSR manufacturer data	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
Length	440 mm
Width	380 mm
Height	100 mm
Length with packaging	440 mm
Width with packaging	385 mm
Height with packaging	105 mm
Volume with packaging	17.787 dm ³
Scope of delivery	1x 03 07 200 1x 70 07 160 1x 98 00 10

1x 98 00 11
 1x 98 00 12
 1x 98 00 13
 1x 98 00 14
 1x 98 00 17
 1x 98 00 19
 1x 98 53 03
 1x 98 20 25
 1x 98 20 35
 1x 98 20 40
 1x 98 20 55
 1x 98 24 00
 1x 98 24 01
 1x 98 24 02
 1x 98 40
 1x 98 47 10
 1x 98 47 11
 1x 98 47 12
 1x 98 47 13
 1x 98 47 14
 1x 98 47 17
 1x 98 47 19
 1x 98 52

Sales unit	1 piece
Content unit	1 piece
Incl. battery	no
Standards	DIN EN 60900 IEC 60900
RoHS compliant	no
VDE	no
ESD compliant	no