

Torque screwdriver set TorqueVario®-S 0.8-5.0 Nm TORX®, TORX PLUS® 14 pcs. variable adjustable torque limit incl. box (34614)



Application: For controlled screwing at specified torque.

Extra: Supplied in sturdy metal box, incl. works test report.

Extra: Supplied in practical plastic box.

Accuracy: $\pm 6\%$, traceable to national standards.

Handle: Torque continuously adjustable with Torque-Setter setting tool (included).

Handle: Ergonomic multi-component handle, extremely handy due to light and compact design.

Handle: Click signal when the set torque value is reached.

The TorqueVario®-S torque screwdriver set offers the right twist for process reliability. The tool set contains an ergonomically shaped torque screwdriver handle with integrated numerical scale, 10 common bits for all applications, a bit holder and the setting tool. All components are conveniently and clearly arranged in a high-quality and sturdy box. The torque screwdriver covers a wide range of applications with its variably adjustable torque range of 0.8-5.0 Nm. A clearly audible and tactile signal when the torque is triggered ensures a process-safe torque mechanism that protects against material damage and rework. With a triggering accuracy of $\pm 6\%$, the torque tool meets the requirements of DIN EN ISO 6789.

For applications in mechanics

Bit holders or blades are not included.

DIN EN ISO 6789.

Contents:

1x TorqueVario®-S torque screwdriver variably adjustable torque limitation 0.8 - 5 (26463).

1x Bit holder clamping via ball for torque screwdriver with longitudinal handle 1/4" (27526)

1x Adjustment tool for torque screwdriver with longitudinal handle 90mm (26864)

1x Bit standard 25 mm TORX® 1/4" C6,3 T7 (01713)

1x Bit standard 25 mm TORX® 1/4" C6,3 T8 (01714)

1x Bit Standard 25 mm TORX® 1/4" C6,3 T9 (01715)

1x Bit Standard 25 mm TORX® 1/4" C6,3 T10 (01716)

1x Bit Standard 25 mm TORX® 1/4" C6,3 T15 (01717)

1x Bit Standard 25 mm TORX PLUS® 1/4" C6,3 7IP (23175)

1x Bit Standard 25 mm TORX PLUS® 1/4" C6,3 8IP (23177)

1x Bit Standard 25 mm TORX PLUS® 1/4" C6,3 9IP (23179)

1x Bit Standard 25 mm TORX PLUS® 1/4" C6,3 10IP (23181)

1x Bit Standard 25 mm TORX PLUS® 1/4" C6,3 15IP (23183)

1x Box

• Blister packaging: No

• ESD Article: No

• with battery: No

item number	WL72627
Alternative item description	2852S1001
manufacturer	WIHA
manufacturer item number	34614
GPSR manufacturer information	Wiha Werkzeuge GmbH Obertalstraße 3-7 DE-78136 Schonach www.wiha.com
length	235 mm
width	126 mm
order unit	1 piece
content unit	1 piece
standards	DIN EN ISO 6789.
product series	2852
VDE	no
type of screw	mixed
ESD safe	no
packaging mass	set

type of screwdriver

torque screwdriver

