

ESD work coat Pro Line, unisex, short, 146 g/m², light blue, XXL



Discover the SafeGuard ESD work coat Pro Line in short version - an indispensable piece of workwear for anyone working in electronics production. With its half-length, this ESD coat offers optimum freedom of movement without compromising on safety. The conductive yarn in a 4x4 mm grid ensures a typical point-to-point resistance of Rp-p = 10^5 - 10^7 Ohm to effectively prevent electrostatic discharges.

The SafeGuard Pro Line is characterized by its versatility, as it is available in a unisex version. Practical details such as the two side pockets, the press studs on the sleeves and the ESD logo on the breast pocket ensure optimum functionality in everyday working life. The ESD coat has a row of buttons with fabric cover, a lapel collar and a concealed button placket for a professional appearance.

Made from 63% polyester, 33% cotton and 4% carbonized yarn, the SafeGuard work coat Pro Line offers not only comfort but also durability. The ESD compliance and certification ensure that you are optimally protected in every situation.













Convince yourself of the quality and functionality of the SafeGuard ESD work coat and invest in your safety in the workplace.

- Clothing size: 2XLColor: light blue
- Unisex version
- 1/2 garment length
- long sleeve
- Row of buttons covered with fabric
- Press studs on the sleeves
- with ESD logo on the breast pocket
- 2 side pockets
- 63% PES, 33% cotton, 4% carbonized yarn
- Conductive yarn: 4x4 mm grid
- Typical point-to-point resistance Rp-p = 10^5 - 10^7 Ohm
- washable up to 40°C

| item number | WL74487 |
|--|--|
| model | SG-AM-HB-146-K-PRO LINE |
| manufacturer | SAFEGUARD |
| manufacturer item number | SG-AM-HB-146-K-PRO LINE-2XL |
| GPSR manufacturer information | Weidinger GmbH Hertha-Sponer-Str. 1a DE-82216 Gernlinden |
| order unit | 1 piece |
| content unit | 1 piece |
| Colour | light blue |
| | |
| gender | unisex |
| gender features | unisex breathable |
| | |
| features | breathable |
| features Typical surface resistance (Rpp) | breathable 10 ⁵ Ohm – 10 ⁷ Ohm |
| features Typical surface resistance (Rpp) size | breathable 10 ⁵ Ohm – 10 ⁷ Ohm XXL |
| features Typical surface resistance (Rpp) size sleeve's length | breathable 10 ⁵ Ohm – 10 ⁷ Ohm XXL long sleeves 2 side pockets, snap fasteners on the sleeves, ESD logo on breast pocket, button border covered with |













Other versions

| item number | size |
|-------------|------|
| WL83935 | XXS |
| WL74482 | XS |
| WL74483 | S |
| WL74484 | M |
| WL74485 | L |
| WL74486 | XL |
| WL74487 | XXL |
| WL74488 | 3XL |
| WL74489 | 4XL |
| WL74490 | 5XL |









