


## Flat 34 mm combination wrench, chrome-plated



- U-shaped shaft for greater comfort
- Jaw position 15° with thin head for better accessibility
- Ring side angled 15°
- Larger and double-sided size marking for easier identification
- SB = SB packaging
- Double hexagon with Dynamic-Drive™ profile ensures longer screw and nut life
- Chrome-plated micro-matt finish with high-quality surface
- High-performance steel alloy
- Optimized identification thanks to easy-to-read embossing
- Easy access to hard-to-reach areas
- Standards: ISO 691, ISO 7738, ISO 3318, ISO 1711-1 and DIN 3113

Item no.	<b>WL83664</b>
Manufacturer	BAHCO
Manufacturer article no.	111M-34
GPSR manufacturer data	BAHCO Werkzeuge Maybachstr. 10 DE-71711 Steinheim www.bahco-werkzeuge.de
Length	350 mm
Width	67 mm
Height	16.2 mm
Sales unit	1 piece

Products for the electronic industry



Content unit	1 piece
Incl. battery	no
Screw type	double hexagon
ESD compliant	no
Wrench size	34 mm

## Other versions

Item no.	Wrench size
WL83660	5.5 mm
WL83658	6 mm
WL83657	7 mm
WL83656	8 mm
WL83655	9 mm
WL83685	10 mm
WL83684	11 mm
WL83683	12 mm
WL83682	13 mm
WL83681	14 mm
WL83680	15 mm
WL83679	16 mm
WL83678	17 mm
WL83677	18 mm
WL83676	20 mm
WL83675	21 mm
WL83674	22 mm
WL83673	23 mm
WL83672	24 mm
WL83671	25 mm
WL83670	26 mm
WL83669	27 mm
WL83668	28 mm
WL83667	29 mm
WL83666	30 mm

WL83665	32 mm
<b>WL83664</b>	<b>34 mm</b>
WL83663	36 mm
WL83662	41 mm
WL83661	46 mm
WL83659	50 mm

