

## ESD sandal RUNNER 145, S1P, W10, black/white, size 44

---



The high-tech MESH UPPER encloses the foot perfectly and guarantees the wearer lasting breathability, flexibility and unmistakable comfort. The air texture of the fabric guarantees optimum air circulation and thus ensures a permanently pleasant foot climate. The sole system offers maximum comfort in the working environment. A high level of comfort and a pleasantly soft footbed played a special role in its development, providing maximum flexibility, dynamism and comfort. With the puncture-resistant XP® technology, ATLAS® offers an innovative system to protect the foot against sharp objects such as nails. A high-tech textile material containing aramid fibers is used for this purpose. This means that the increased safety is not at the expense of wearing comfort, as the textile is metal-free, extremely light and supports the natural torsion of the foot.

The anatomically shaped steel toe cap protects the foot in the toe area against impacts of at least 200 joules and a compressive load of at least 15 kN, in accordance with EN ISO 20345:2012. Especially when kneeling, signs of wear can occur in the toe area of the shoe after some time. This can be significantly reduced with the help of the reinforced toe

protection, thus increasing the service life of the shoe. Temperature-regulating properties are not only required, but expected, especially in everyday working life with high physical exertion. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture regulation. The aktiv-X functional lining has a moisture-regulating effect and ensures that the shoes dry quickly. It does not stain, is skin-friendly and abrasion-resistant. ATLAS® offers you a wide range of different insoles for orthopaedic insole care. The articles marked here are suitable for orthopaedic insoles in accordance with DGUV Rule 112-191. The marking on the shoe is decisive for this.

- SPORTY SOLE SYSTEM
- XP metal-free penetration resistance
- steel toe cap
- toe protection
- aktiv-X functional lining
- suitable for insoles-DGUV 112-191

<b>Item no.</b>	<b>WL84215</b>
Model	RUNNER 145 ESD
Manufacturer	ATLAS
Manufacturer article no.	27400-44
GPSR manufacturer data	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de
Sales unit	1 pair
Content unit	1 pair
Colour	black, white
Type of shoes	sandal
Safety class	S1P
Shoe width	W10 (standard width)
Shoe size EU	44
ESD compliant	yes
Risk category (PPE regulation)	Category 2

## Other versions

Item no.	Shoe size EU
WL84207	36
WL84208	37

Products for the electronic industry



WL84209	38
WL84210	39
WL84211	40
WL84212	41
WL84213	42
WL84214	43
<b>WL84215</b>	<b>44</b>
WL84216	45
WL84217	46
WL84218	47
WL84219	48

