

ESD drawer inlay for AFS 340/22 top-mounted cupboard, 16 compartments 78 x 56 x 17 mm



Discover the ESD drawer insert from Licefa, available at Weidinger.eu, which has been specially developed for the safe storage of sensitive electronic components. With 16 compartments, each measuring approx. 78 x 56 x 17 mm, this insert offers optimum protection against electrostatic discharge. Made of dissipative polystyrene (PS) in elegant black, it guarantees a conductivity value in the dissipative range of $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm.

This drawer insert is perfectly compatible with the ESD drawer 8162015 and the ESD surface-mounted cabinet plug-in system type AFS 340/22 (article number 8900117). The article number 2426171 makes it easier for you to order and identify this high-quality product.

Benefit from the robust design and the precise compartment layout, which enables clear and safe storage of your components. Ideal for use in electronics production, this ESD

drawer insert offers a reliable solution for your ESD protection and organization requirements.

- Material: dissipative PS (polystyrene)
- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Suitable for ESD drawer 8162015
- Suitable for ESD surface-mounted cabinet Plug-in system: Cabinet type AFS 340/22: 8900117
- Compartments: 16
- Compartment size: 78 x 56 x 17 mm

Item no.	WL85701
Alternative article name	TE 16-4-6-10
Manufacturer	LICEFA
Manufacturer article no.	2426171
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	224 mm
Height	17 mm
Sales unit	1 piece
Content unit	1 piece
Length (compartment)	78 mm
Width (compartment)	56 mm
Height (compartment)	17 mm
Colour	black
Material	PS
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

Other versions

Item no.	Length (compartment) x Width (compartment)
WL85726	33 mm x 23 mm

Products for the electronic industry



WL85714	42 mm x 36 mm
WL85801	50 mm x 44 mm
WL85715	62 mm x 23 mm
WL85707	62 mm x 44 mm
WL85697	75 mm x 77 mm
WL85701	78 mm x 56 mm
WL85845	116 mm x 79 mm
WL85851	117 mm x 42.5 mm

