

ESD drawer inlay for AFS 236/20 top-mounted cupboard, 18 compartments á 82 x 36 x 16 mm



Discover the ESD drawer insert from Licefa at Weidinger.eu, which has been specially developed for the safe storage of sensitive electronic components. With 18 precisely divided compartments, this insert offers optimum protection against electrostatic discharge. Each compartment measures 82 x 36 x 16 mm and is made of dissipative polystyrene (PS), which has a dissipative conductance of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms. The black color ensures a professional look and fits perfectly in the ESD drawer 8162044 as well as in the ESD surface-mounted cabinet plug-in system type AFS 236/20 (article number 8900105).

The article number 2426173 guarantees easy identification and ordering of this high-quality product. The ESD drawer insert is an indispensable accessory for anyone working in electronics production who values safety and order. Place your trust in the quality of Licefa and effectively protect your components from damage caused by static electricity.

- Material: dissipative PS (polystyrene)
- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Suitable for ESD drawer 8162044
- suitable for ESD surface-mounted cabinet plug-in system: Cabinet type AFS 236/ 20: 8900105
- Compartments: 18
- Compartment size: 82 x 36 x 16 mm

Item no.	WL85702
Alternative article name	TE 18 W-6-10
Manufacturer	LICEFA
Manufacturer article no.	2426173
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzufen www.liceфа.de
Length	246 mm
Height	16 mm
Sales unit	1 piece
Content unit	1 piece
Length (compartment)	82 mm
Width (compartment)	36 mm
Height (compartment)	16 mm
Colour	black
Material	PS
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

Other versions

Item no.	Length (compartment) x Width (compartment)
WL85717	29 mm x 30 mm
WL85713	34 mm x 36 mm

WL85705	40 mm x 65 mm
WL85723	58 mm x 172 mm
WL85710	60 mm x 23 mm
WL85700	61 mm x 56 mm
WL85702	82 mm x 36 mm
WL85698	120 mm x 27 mm

