

ESD drawer insert for surface-mounted cupboard AFS 340/40, 25 compartments á 45 x 63 x 32 mm



Discover the ESD drawer insert from Licefa, available at Weidinger.eu, which has been specially developed for the safe storage of sensitive electronic components. With 25 compartments, this drawer liner (item number 2426187) offers optimal organization and protection against electrostatic discharge. Each of the 25 compartments measures 45 x 63 x 32 mm and is made of dissipative polystyrene (PS), which has a dissipative conductance of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms. The black color ensures a professional look and fits perfectly into any workshop environment.

This drawer insert is compatible with the ESD drawer 8162028 and the ESD surface-mounted cabinet plug-in system, cabinet type AFS 340/40: 8900119. The precise division enables clear storage and quick access to your components, while the dissipative material reliably protects against static discharges. Ideal for anyone who values safety and order in electronics production.

- Material: dissipative PS (polystyrene)
- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Suitable for ESD drawer 8162028
- suitable for ESD surface-mounted cabinet plug-in system: Cabinet type AFS 340/40: 8900119
- Compartments: 25
- Compartment size: 45 x 63 x 32 mm

Item no.	WL85706
Alternative article name	TE 25 S-6-10
Manufacturer	LICEFA
Manufacturer article no.	2426187
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	225 mm
Height	32 mm
Sales unit	1 piece
Content unit	1 piece
Length (compartment)	45 mm
Width (compartment)	63 mm
Height (compartment)	53 mm
Colour	black
Material	PS
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

Other versions

Item no.	Length (compartment) x Width (compartment)
WL85709	44 mm x 50 mm
WL85706	45 mm x 63 mm

WL85699	55 mm x 77 mm
WL85730	71 mm x 102 mm
WL85722	71 mm x 157 mm
WL85696	75 mm x 71 mm
WL85708	75 mm x 327 mm