

ESD drawer insert for top-mounted cupboard AFS 236/20, 36 compartments á 60 x 23 x 16 mm



Discover the ESD drawer insert from Licefa at Weidinger.eu, which has been specially developed for the safe storage of sensitive electronic components. With 36 compartments, this drawer insert (item number 2426204) offers optimal organization and protection against electrostatic discharge. Each of the 36 compartments measures 60 x 23 x 16 mm and is made of dissipative polystyrene (PS), which has a dissipative conductance of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms. The black color ensures a professional look and fits perfectly in the ESD drawer 8162044 as well as in the ESD surface-mounted cabinet plug-in system type AFS 236/20 (8900105).

This drawer insert is ideal for anyone working in electronics production who values safe and organized storage. The high-quality workmanship and well thought-out design ensure that your components are always protected and ready to hand. Place your trust in the quality of Licefa and optimize your work processes with this practical ESD drawer insert.

- Material: dissipative PS (polystyrene)
- Conductivity: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Suitable for ESD drawer 8162044
- suitable for ESD surface-mounted cabinet plug-in system: Cabinet type AFS 236/ 20: 8900105
- Compartments: 36
- Compartment size: 60 x 23 x 16 mm

Item no.	WL85710
Alternative article name	TE 36 W-6-10
Manufacturer	LICEFA
Manufacturer article no.	2426204
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	240 mm
Height	16 mm
Sales unit	1 piece
Content unit	1 piece
Length (compartment)	60 mm
Width (compartment)	23 mm
Height (compartment)	16 mm
Colour	black
Material	PS
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

Other versions

Item no.	Length (compartment) x Width (compartment)
WL85717	29 mm x 30 mm
WL85713	34 mm x 36 mm
WL85705	40 mm x 65 mm

WL85723	58 mm x 172 mm
WL85710	60 mm x 23 mm
WL85700	61 mm x 56 mm
WL85702	82 mm x 36 mm
WL85698	120 mm x 27 mm