


ESD drawer insert for surface-mounted cabinet AFS 340/40, 6 compartments á 71 x 157 x 32 mm



Discover the ESD drawer insert from Licefa at Weidinger.eu, which has been specially developed for the safe storage of sensitive electronic components. With six practical compartments, this drawer insert (item number 2426240) offers optimal organization and protection against electrostatic discharge. The insert is made of conductive polystyrene (PS) in elegant black and has a conductivity value in the dissipative range of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms.

The compartment size of 71 x 157 x 32 mm is ideal for the organized storage of small components. This drawer insert is compatible with the ESD drawer 8162028 and the ESD surface-mounted cabinet plug-in system type AFS 340/40 (8900119), making it a versatile addition to your electronics production. Rely on the quality and functionality of Licefa to make your working environment safe and efficient. Visit Weidinger.eu for more information and to order your ESD drawer insert.

- Material: dissipative PS (polystyrene)
- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Suitable for ESD drawer 8162028
- suitable for ESD surface-mounted cabinet plug-in system: Cabinet type AFS 340/40: 8900119
- Compartments: 6
- Compartment size: 71 x 157 x 32 mm

Item no.	WL85722
Alternative article name	TE 6 S-6-10
Manufacturer	LICEFA
Manufacturer article no.	2426240
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	213 mm
Height	32 mm
Sales unit	1 piece
Content unit	1 piece
Length (compartment)	71 mm
Width (compartment)	157 mm
Height (compartment)	32 mm
Colour	black
Material	PS
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

Other versions

Item no.	Length (compartment) x Width (compartment)
WL85709	44 mm x 50 mm
WL85706	45 mm x 63 mm

WL85699	55 mm x 77 mm
WL85730	71 mm x 102 mm
WL85722	71 mm x 157 mm
WL85696	75 mm x 71 mm
WL85708	75 mm x 327 mm