

ESD drawer insert for top-mounted cupboard AFS 236/20, 6 compartments á 58 x 172/50 x 16 mm



Discover the ESD drawer insert from Licefa, available at Weidinger.eu, which has been specially developed for the safe storage of sensitive electronic components. With item number 2426244, this drawer insert offers six practical compartments, each measuring 58 x 172/50 x 16 mm. Made of dissipative polystyrene (PS), it ensures optimum protection against electrostatic discharge, with a conductivity value in the dissipative range of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms.

The black ESD drawer liner is perfectly compatible with the ESD drawer 8162044 and the ESD surface-mounted cabinet plug-in system type AFS 236/20 (article number 8900105). This insert is ideal for anyone looking for a reliable and structured solution for storing ESD-sensitive components. Benefit from clear organization and increased protection for your components in electronics production.

- Material: dissipative PS (polystyrene)

- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Suitable for ESD drawer 8162044
- suitable for ESD surface-mounted cabinet plug-in system: Cabinet type AFS 236/ 20: 8900105
- Compartments: 6
- Compartment size: 58 x 172/50 x 16 mm

Item no.	WL85723
Alternative article name	TE 6 W-6-10
Manufacturer	LICEFA
Manufacturer article no.	2426244
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	232 mm
Height	16 mm
Sales unit	1 piece
Content unit	1 piece
Length (compartment)	58 mm
Width (compartment)	172 mm
Height (compartment)	16 mm
Colour	black
Material	PS
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

Other versions

Item no.	Length (compartment) x Width (compartment)
WL85717	29 mm x 30 mm
WL85713	34 mm x 36 mm
WL85705	40 mm x 65 mm

WL85723	58 mm x 172 mm
WL85710	60 mm x 23 mm
WL85700	61 mm x 56 mm
WL85702	82 mm x 36 mm
WL85698	120 mm x 27 mm