

## ESD insert for assortment box 166, 6 compartments à 88 x 69 mm



Discover the ESD insert for the 166 assortment box at [Weidinger.eu](http://Weidinger.eu), which has been specially developed for electronics production. This insert, with item number 2448810, is made of dissipative polystyrene (PS) and offers reliable protection against electrostatic discharge. With a conductance value in the dissipative range of  $>1 \times 10^4$  to  $<1 \times 10^{11}$  ohms, it ensures the safety of sensitive electronic components.

The insert has an elegant black finish and fits perfectly into the internal dimensions of 295 x 166 x 21 mm or 295 x 166 x 39 mm of the 166 assortment box. It has six compartments, each measuring 88 x 69 mm, which enable clear and secure storage.

Manufactured by Licefa, this ESD insert offers an ideal solution for organizing and protecting your electronic components. Rely on the quality and functionality of this insert to make your work processes more efficient and safer. Visit [Weidinger.eu](http://Weidinger.eu) for more information and to place your order.

- Material: dissipative PS (polystyrene)
- Conductance: (dissipative  $>1 \times 10^4$  to  $<1 \times 10^{11}$  Ohm)
- Color: black

- Insert for assortment box 166, internal dimensions: 295 x 166 x 21 mm or 295 x 166 x 39 mm
- 6 compartments
- Compartment size: 88 x 69 mm

<b>Item no.</b>	<b>WL85842</b>
Alternative article name	TE SOK ESD-CON 166-32/14, 6
Manufacturer	LICEFA
Manufacturer article no.	2448810
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	166 mm
Width	295 mm
Height	39 mm
Sales unit	1 piece
Content unit	1 piece
Number of compartments	6
Length (compartment)	88 mm
Width (compartment)	69 mm
Height (compartment)	39 mm
Colour	black
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4 - <1 \times 10^{11}$ Ohm
Material storage boxes	plastic
ESD compliant	yes

## Other versions

Item no.	Number of compartments	Height (compartment)
<b>WL85842</b>	<b>6</b>	<b>39 mm</b>
WL85843	12	39 mm
WL85838	15	21 mm
WL85844	15	39 mm
WL85839	35	21 mm

Products for the electronic industry



WL85840	54	21 mm
WL85841	72	21 mm

