

ESD insert for assortment box 295, 72 compartments à 22 x 20 mm



Discover the ESD insert for the 295 assortment box at [Weidinger.eu](https://www.weidinger.eu) - the ideal solution for the safe storage of sensitive electronic components. This insert, manufactured by Licefa, offers 72 compartments, each measuring 22 x 20 mm, and fits perfectly into assortment boxes with internal dimensions of 295 x 164 x 16 mm or 295 x 164 x 38 mm.

Made of dissipative polystyrene (PS) in elegant black, the insert ensures reliable protection against electrostatic discharge (ESD). With a conductivity value in the dissipative range of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms, it offers optimum protection for your sensitive components.

The article number 2500115 makes it easy to quickly identify and order this high-quality product. Rely on the quality and functionality of this ESD insert to make your electronics production efficient and safe. Visit [Weidinger.eu](https://www.weidinger.eu) for more information and accessories.

- Material: dissipative PS (polystyrene)
- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm)
- Color: black
- Insert for assortment box 295, internal dimensions: 295 x 164 x 16 mm or 295 x 164 x 38 mm
- 72 compartments

- Compartment size: 22 x 20 mm

| | |
|----------------------------------|--|
| item number | WL85847 |
| Alternative item description | TE SOK ESD-CON, 295-08/08, 72 |
| manufacturer | LICEFA |
| manufacturer item number | 2500115 |
| GPSR manufacturer information | LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de |
| order unit | 1 piece |
| content unit | 1 piece |
| Number of compartments | 72 |
| Length (compartment) | 22 mm |
| Width (compartment) | 20 mm |
| Colour | black |
| Typical surface resistance (Rpp) | dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm |
| material | plastic |
| ESD safe | yes |

Other versions

| item number | Number of compartments |
|----------------|------------------------|
| WL85848 | 6 |
| WL85849 | 12 |
| WL85850 | 15 |
| WL85846 | 54 |
| WL85847 | 72 |