

ESD SMD Box N2, 37 x 12 x 15 mm, yellow/yellow



Discover the ESD SMD Box N2 at Weidinger.eu - the ideal solution for the safe storage of your SMD components. This compact hinged box, also known under the German trademark protection "Mäuseklo" (No. 3020110671729), impresses with its robust construction made of dissipative ABS. With a dissipative conductance of $>1 \times 10^4$ to $<1 \times 10^{11}$ ohms, it offers optimum protection against electrostatic discharge. The box in bright yellow has a spring-loaded hinged lid that enables defined opening and closing. The internal dimensions of 12x37x15 mm and the external dimensions of 29.4x42.4x21.0 mm make it perfect for use in electronics production. The article number 8150062 makes it easy to order. Manufactured by Licefa, this box stands for quality and reliability. Ideal for anyone who values safety and efficiency.

- Hinged box for storing SMD components
- Base and hinged lid made of dissipative ABS (acrylonitrile butadiene styrene, impact-resistant)
- Conductance: (dissipative $>1 \times 10^4$ to $<1 \times 10^{11}$ Ohm) in yellow
- With spring support for defined opening/closing

- LxWxH inside: 12x37x15 mm
- LxWxH outside: 29.4x42.4x21.0 mm
- German trademark protection no. 3020110671729 "Mäuseklo"

Item no.	WL85882
Alternative article name	02 ESD-DIS ABS/ABS
Manufacturer	LICEFA
Manufacturer article no.	8150062
GPSR manufacturer data	LICEFA GmbH & Co.KG Lemgoer Strasse 11 DE-32108 Bad Salzuflen www.liceфа.de
Length	12 mm
Width	37 mm
Height	15 mm
Sales unit	1 piece
Content unit	1 piece
Colour (lid)	yellow
Colour	yellow
Incl. battery	no
Typical surface resistance (Rpp)	dissipativ $>1 \times 10^4$ - $<1 \times 10^{11}$ Ohm
Material storage boxes	plastic
Incl. lid	yes
ESD compliant	yes

Other versions

Item no.	Colour	Colour (lid)
WL85884	blue	blue
WL85887	blue	transparent
WL85882	yellow	yellow
WL85889	yellow	black
WL85885	yellow	transparent
WL85883	red	red
WL85886	red	transparent

WL85888	black	yellow
WL85880	black	black
WL85881	black	transparent