

## Bit socket with 3/8" drive, with holding function for hexagon socket screws, 8 x 38.5 mm

---



Bit socket with 3/8" drive and holding function for particularly convenient screwing with reduced risk of screw loss when feeding to the workpiece. With Take it easy tool finder with color coding according to size - for finding the required tool quickly and easily.

- Bit socket (non-impact) for manual or machine operation
- The holding function holds screws securely on the tool
- With Take it easy tool finder: color coding according to size
- Knurling at the rear end for a good grip when used by hand.
- Chrome vanadium, matt chrome-plated

|              |                  |
|--------------|------------------|
| Item no.     | WL87867          |
| Model        | 8740 B HF Zyklus |
| Manufacturer | WERA             |

---

Products for the electronic industry



|                          |                                                                                              |
|--------------------------|----------------------------------------------------------------------------------------------|
| Manufacturer article no. | 05003039001                                                                                  |
| GPSR manufacturer data   | WERA Werkzeuge GmbH<br>Korzter Strasse 21-25<br>DE-42349 Wuppertal-Cronenberg<br>www.wera.de |
| Length                   | 105 mm                                                                                       |
| Width                    | 44 mm                                                                                        |
| Height                   | 22 mm                                                                                        |
| Length with packaging    | 105 mm                                                                                       |
| Width with packaging     | 44 mm                                                                                        |
| Height with packaging    | 22 mm                                                                                        |
| Sales unit               | 1 piece                                                                                      |
| Content unit             | 1 piece                                                                                      |
| Incl. battery            | no                                                                                           |
| VDE                      | no                                                                                           |
| ESD compliant            | no                                                                                           |
| Tool length              | 38.5 mm                                                                                      |
| Wrench size              | 8 mm                                                                                         |

## Other versions

| Item no.       | Wrench size | Tool length    |
|----------------|-------------|----------------|
| WL87858        | 3 mm        | 35 mm          |
| WL87859        | 4 mm        | 35 mm          |
| WL87860        | 4 mm        | 107 mm         |
| WL87861        | 5 mm        | 35 mm          |
| WL87862        | 5 mm        | 107 mm         |
| WL87863        | 6 mm        | 35 mm          |
| WL87864        | 6 mm        | 107 mm         |
| WL87865        | 7 mm        | 38.5 mm        |
| WL87866        | 7 mm        | 100 mm         |
| <b>WL87867</b> | <b>8 mm</b> | <b>38.5 mm</b> |
| WL87868        | 8 mm        | 100 mm         |
| WL87869        | 9 mm        | 38.5 mm        |
| WL87870        | 9 mm        | 100 mm         |

|         |       |         |
|---------|-------|---------|
| WL87871 | 10 mm | 38.5 mm |
| WL87872 | 10 mm | 100 mm  |