

## VDE-insulated Phillips screwdriver, PH 2 x 200 mm



Wera VDE screwdriver with multi-component Kraftform handle for fast and gentle working: Hard grip zones for high working speed, while soft grip zones guarantee high torque transmission. Piece test at 10,000 V for safe working at the approved voltage of 1,000 V. The tip of Wera Lasertip screwdrivers is roughened microscopically with laser beams. This rough surface literally "bites" into the screw head. Unintentional slipping out is a thing of the past. Take it easy tool finder with color coding according to profiles and size stamping - for finding the required tool quickly and easily. The hexagonal roll-off protection prevents annoying rolling away at the workplace.

- Insulated blades for safe working up to 1,000 volts
- Hard grip zones for high working speed, soft grip zones for high torque transmission
- With Take it easy tool finder: color coding according to profiles and size stamping
- With hexagonal roll-off protection to prevent rolling away
- With laser tip for more grip in the screw head

<b>Item no.</b>	<b>WL88469</b>
Model	162 i PH VDE
Manufacturer	WERA
Manufacturer article no.	05006159001
GPSR manufacturer data	WERA Werkzeuge GmbH Korzelter Strasse 21-25 DE-42349 Wuppertal-Cronenberg www.wera.de
Length	305 mm
Width	37 mm
Height	37 mm
Length with packaging	357 mm
Width with packaging	114 mm
Height with packaging	40 mm
Sales unit	1 piece
Content unit	1 piece

Incl. battery	no
VDE	yes
Screw type	PH2
ESD compliant	no
Tool length	200 mm

## Other versions

Item no.	Screw type	Tool length
WL86719	PH0	80 mm
WL88464	PH1	80 mm
WL88465	PH1	150 mm
WL88466	PH2	100 mm
<b>WL88469</b>	<b>PH2</b>	<b>200 mm</b>
WL88467	PH3	150 mm
WL88468	PH4	200 mm