

## VDE-insulated self-adjusting open-end wrench set, 4-piece

Unit-tested tool in accordance with IEC 60900 at 10,000 V for safe working at the approved voltage of 1,000 V. The adjustable VDE open-end wrench automatically and continuously grips all hexagon sizes in the specified size range - metric and imperial. The integrated lever mechanism clamps the hexagon bolt or nut securely between the jaws, significantly reducing the risk of slipping and damage. The ratchet function ensures fast and continuous screwing without settling. By using the corner width prisms, a swing-back angle of just 30° can be achieved. The single-leg design in conjunction with the ratchet function and the corner width prism makes it possible to work even in tight installation spaces. Thanks to the 2-component plastic insulation, the adjustable Joker 6004 VDE has a comfortable grip. Safety is increased by the anti-slip protection at the front end of the handle. Additional protection is provided by the sliding function for contactless and safe opening of the non-insulated jaws.

- The compact textile box with four adjustable Joker 6004 VDE covers all metric and imperial dimensions in the application range from 7 to 19 mm or ¼" to ¾"
- Unit-tested tool with insulated handles for safe working up to 1,000 volts with slip protection and sliding function for contactless and safe opening of the non-insulated jaws
- Automatic and stepless gripping of hexagon bolts and nuts
- Lever mechanism for gripping prevents slipping and damage
- With mechanical ratchet function for fast and continuous screwing without having to put the wrench down

<b>Item no.</b>	<b>WL88796</b>
Model	6004 Joker VDE 4 Set 1
Manufacturer	WERA
Manufacturer article no.	05020170001
GPSR manufacturer data	WERA Werkzeuge GmbH Korzerter Strasse 21-25 DE-42349 Wuppertal-Cronenberg www.wera.de
Length	270 mm
Width	130 mm
Height	65 mm
Length with packaging	270 mm
Width with packaging	130 mm

Height with packaging	65 mm
Sales unit	1 piece
Content unit	1 piece
Incl. battery	no
VDE	yes
ESD compliant	no
Number of parts in the tool set	4-piece

