

Hexagon socket bit, 2.5 x 50 mm



Tough and hard Wera bits for hexagon socket screws, for universal use. Hex-Plus offers larger contact surfaces in the screw head. This reduces the notch effect to a minimum and virtually eliminates damage to the screw head. 1/4" hexagon, suitable for DIN ISO 1173-F 6.3 holders.

- For hexagon socket screws
- Hex-Plus makes hexagon socket screws last longer
- Tough and hard, for universal use
- 1/4" hexagon drive (Wera connection series 4)

Item no.	WL89777
Model	840/4 Z
Manufacturer	WERA
Manufacturer article no.	05059604001
GPSR manufacturer data	WERA Werkzeuge GmbH Korzerter Strasse 21-25 DE-42349 Wuppertal-Cronenberg www.wera.de
Length	50 mm
Width	7 mm
Height	6 mm
Length with packaging	58 mm
Width with packaging	34 mm
Height with packaging	15 mm
Sales unit	1 piece
Content unit	1 piece
Incl. battery	no
Bit length	50 mm
VDE	no

Products for the electronic industry



ESD compliant	no
Hexagon socket	2.5 mm

Other versions

Item no.	Hexagon socket	Bit length
WL41127	0,05"	50 mm
WL91109	0.9 mm	50 mm
WL41113	1.5 mm	50 mm
WL90874	1/4"	50 mm
WL89796	1/4"	89 mm
WL91187	1/4"	152 mm
WL90869	1/8"	50 mm
WL89792	1/8"	89 mm
WL91182	1/8"	152 mm
WL90865	1/16"	50 mm
WL41176	2 mm	89 mm
WL89777	2.5 mm	50 mm
WL41177	2.5 mm	89 mm
WL89778	3 mm	50 mm
WL71796	3 mm	89 mm
WL28347	3 mm	152 mm
WL90872	3/16"	50 mm
WL89795	3/16"	89 mm
WL91185	3/16"	152 mm
WL90867	3/32"	50 mm
WL89790	3/32"	89 mm
WL89779	4 mm	50 mm
WL71797	4 mm	89 mm
WL28348	4 mm	152 mm
WL89780	5 mm	50 mm
WL71798	5 mm	89 mm
WL28349	5 mm	152 mm
WL91167	5/16"	50 mm

WL90871	5/32"	50 mm
WL89794	5/32"	89 mm
WL91184	5/32"	152 mm
WL90866	5/64"	50 mm
WL89789	5/64"	89 mm
WL89781	6 mm	50 mm
WL71799	6 mm	89 mm
WL28350	6 mm	152 mm
WL90873	7/32"	50 mm
WL73443	7/32"	89 mm
WL91186	7/32"	152 mm
WL90868	7/64"	50 mm
WL89791	7/64"	89 mm
WL89782	8 mm	50 mm
WL73442	8 mm	89 mm
WL90870	9/64"	50 mm
WL89793	9/64"	89 mm
WL91183	9/64"	152 mm