

## TORX® bit, TX 40 x 25 mm

Bits for internal TORX® screws with tiny diamond particles on the bit tip. These ensure a secure fit in the screw, reduce the required contact pressure and reduce the risk of slipping. With torsion zone into which kinetic energy is dissipated during peak loads. This significantly increases the product service life. 1/4" hexagon, suitable for DIN ISO 1173-D 6.3 holders.

- For internal TORX® screws
- With BiTorsion zone to cushion load peaks
- Significantly reduces the risk of breakage, significantly extends the service life
- Diamond coating for a secure fit in the screw
- 1/4" hexagon drive (Wera connection series 1)

<b>Item no.</b>	<b>WL90766</b>
Model	867/1 BDC SB TORX®
Manufacturer	WERA
Manufacturer article no.	05134379001
GPSR manufacturer data	WERA Werkzeuge GmbH Korzerter Strasse 21-25 DE-42349 Wuppertal-Cronenberg www.wera.de
Length	100 mm
Width	60 mm
Height	10 mm
Length with packaging	250 mm
Width with packaging	175 mm
Height with packaging	50 mm
Sales unit	1 piece
Content unit	1 piece
Bit length	25 mm
VDE	no
Screw type	TX40
ESD compliant	no

## Other versions

Item no.	Screw type
WL90761	TX10
WL90762	TX15
WL90763	TX20
WL90764	TX25
WL90765	TX30
<b>WL90766</b>	<b>TX40</b>