

Becher de protection, rectangulaire, 10,5 x 21,0 mm



The rectangular protective cup from JBC, measuring 10.5 x 21 mm, is an indispensable accessory for hot air repair stations. It concentrates the heat precisely on the desired area and at the same time protects adjacent components from unwanted heat. The protective cup should be optimally adapted to the size of the component to be desoldered to ensure efficient and clean removal. It can also be used in combination with a tripod to facilitate handling and increase precision. Ideal for professional repair work, this protective cup offers a reliable solution for demanding soldering tasks.

- rectangulaire - sans pied
- pour les stations de réparation à air chaud
- protège les composants adjacents
- concentre la chaleur sur la zone désirée
- La coupelle de protection doit avoir la taille appropriée du composant à dessouder
- Peut être utilisé avec un pied pour retirer proprement le composant

Numéro d'article	WL13145
Modèle	0934045 / P4045
Fabricant	JBC
Numéro d'article du fabricant	P4045
Données du fabricant du GPSR	JBC Soldering SL Ramón y Cajal 3 ES-08750 Molins De Rei www.jbctools.com
Longueur avec emballage	80 mm
Largeur avec emballage	40 mm
Hauteur avec emballage	35 mm
Unité de vente	1 pièce
Unité de contenu	1 pièce
Longueur (coque de protection)	10,5 mm
Largeur (coquille de protection)	21 mm
Forme	rectangulaire
Dimensions	10,5 x 21 mm
Conforme aux normes ESD	non

Autres versions

Numéro d'article	Longueur (coque de protection) x Largeur (coquille de protection)
WL23238	4,3 mm x 3 mm
WL23239	5,2 mm x 7,5 mm
WL23240	5,2 mm x 9,5 mm
WL23241	6,2 mm x 4,2 mm
WL13143	9 mm x 13 mm
WL13144	9,5 mm x 19 mm
WL13146	9,5 mm x 21 mm
WL13145	10,5 mm x 21 mm
WL13147	11 mm x 16 mm
WL13134	12 mm x 17 mm
WL23242	12 mm x 23 mm
WL23243	13 mm x 31,5 mm
WL13141	13,5 mm x 21,5 mm

WL23245	18 mm x 29 mm
WL23246	18,5 mm x 24 mm
WL23249	33 mm x 46 mm
WL23251	52,5 mm x 14 mm

