

Tournevis, Ergo™, isolé, six pans creux, 4 mm, 197 mm



The BAHCO ERGO™ hexagon socket screwdriver BE 8704S 4 × 150 mm is a high-quality precision tool that has been specially developed as part of the ERGO™ process to ensure ergonomic working, maximum safety and maximum precision. This VDE-insulated screwdriver is designed for working on live equipment up to 1000 V and meets the strict requirements of IEC 60900. Each screwdriver is piece-checked and tested in a water bath at 10,000 V, guaranteeing maximum safety and reliability.

The high-alloy steel blade is precision phosphate coated to enable precise force transmission on hexagon head screws. The directly sprayed-on insulation provides reliable protection against electric shocks and also ensures a long service life for the tool. With a blade length of 150 mm and an overall length of 272 mm, the screwdriver is ideal for low-lying screw positions and for working in confined areas.

The ergonomic 3-component handle combines soft material for maximum comfort with a stable surface for optimum power transmission. The flattened handle prevents it from rolling away on the workbench and the integrated hanging hole enables neat storage. Color markings at the end of the handle ensure quick and reliable identification of the correct blade. With a handle length of 122 mm, a handle width of 20 mm and a handle diameter of 20 mm, the tool sits comfortably in the hand, even when used for long periods.

The BE 8704S offers maximum ease of use with minimum effort and is the ideal choice for precise assembly and maintenance work on electrical appliances. With this ERGO™ hexagon socket screwdriver, you get safety, precision, durability and ergonomic design in one professional tool.

- Tournevis développé dans le cadre du processus ERGO™

- Isolé ERGO™ Tournevis pour vis hexagonales
- Un conseil phosphaté pour plus de précision
- Poignée à 3 composants pour une facilité d'utilisation maximale, matériau souple avec surface rigide offrant une prise confortable et une meilleure transmission de la puissance
- Un confort maximal avec un minimum d'efforts grâce à la conception ergonomique
- La bonne lame est facilement identifiable grâce au marquage de couleur et au symbole figurant à l'extrémité du manche
- Ouverture de suspension intégrée
- La poignée aplatie empêche de rouler
- Alliage d'acier à haute performance, isolation pulvérisée directement sur la lame
- Pour les travaux sur des équipements sous tension jusqu'à 1000 V
- Testé individuellement et fabriqué selon la norme IEC 60900, testé dans un bain-marie à 10 000 V
- IEC 60900, certifié selon VDE
- IEC 60900, certifié VDE

Numéro d'article	WL19580
Modèle	BE 8704S
Fabricant	BAHCO
Numéro d'article du fabricant	BE-8704S
Données du fabricant du GPSR	BAHCO Werkzeuge Maybachstr. 10 DE-71711 Steinheim www.bahco-werkzeuge.de
Longueur	272 mm
Largeur	30 mm
Hauteur	45 mm
Unité de vente	1 pièce
Unité de contenu	1 pièce
Batterie incluse	non
Longueur du manche	122 mm
VDE	oui
Type à vis	hexagonal
Conforme aux normes ESD	non
Dimensions de l'emballage	unique
Type de tournevis	1000 V isolé
Douille hexagonale	4 mm
Largeur de la poignée	20 mm

Longueur de l'outil	272 mm
Diamètre de la poignée	20 mm
Longueur de la lame	150 mm

Autres versions

Numéro d'article	Douille hexagonale
WL19578	2,5 mm
WL19579	3 mm
WL19580	4 mm
WL19581	5 mm
WL19582	6 mm
WL19583	8 mm