

## Sachet de protection ESD METAL-IN, 76 µm, 305 x 457 mm



ESD shielding bag METAL-IN  
305 x 457 mm

- metallization: aluminized, shielding < 15 nJ
  - outside: polyester dissipative
  - inside: polyethylene dissipative
  - weldable
  - film thickness: 76µm +/- 10 %
- with ESD and recycle symbol, type and LOT no.

Numéro d'article	WL24137
Modèle	SafeGuard ESD
Fabricant	SAFEGUARD
Numéro d'article du fabricant	20-871-1218
Données du fabricant du GPSR	Weidinger GmbH Hertha-Sponer-Str. 1a DE-82216 Gernlinden

Products for the electronic industry



Largeur	457 mm
Hauteur	305 mm
Unité de vente	1 pièce
Unité de contenu	1 pièce
Couleur	métallisé
Batterie incluse	non
Propriétés de l'emballage	blindé
Refermable	non
Certification ESD selon la norme IEC 61340-5-1:2016	oui
Conforme aux normes ESD	oui

## Autres versions

Numéro d'article	Hauteur x Largeur
WL60823	102 mm x 76 mm
WL24124	102 mm x 102 mm
WL60824	127 mm x 76 mm
WL60825	152 mm x 102 mm
WL60827	203 mm x 127 mm
WL60828	203 mm x 152 mm
WL60829	254 mm x 152 mm
WL60831	305 mm x 203 mm
WL60832	305 mm x 254 mm
<b>WL24137</b>	<b>305 mm x 457 mm</b>
WL60833	356 mm x 254 mm
WL60837	356 mm x 356 mm
WL24136	381 mm x 279 mm
WL60836	406 mm x 305 mm
WL60838	457 mm x 356 mm
WL60839	457 mm x 381 mm
WL87127	508 mm x 660 mm
WL60834	610 mm x 254 mm
WL60840	610 mm x 406 mm
WL60841	610 mm x 457 mm

WL60826	660 mm x 102 mm
WL60830	660 mm x 152 mm
WL60835	660 mm x 254 mm
WL60842	660 mm x 508 mm

