

Baskets ESD noir 43



At ATLAS®, only the best quality cowhides are processed. An extremely careful selection process ensures that only flawless, high-quality and soft leathers are used.

The ATLAS® sneaker sole technology - light, flexible and top fashionable. The new sneaker generation stands for a wide range of uses and maximum protection. An innovative shoe concept that signals a young attitude to life at first glance. With casual sportiness and plenty of freedom, the sneakers prove to be ideal companions day after day - not only in the working world.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture

regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

- EN ISO 20345 S2
- ESD (résistance de fuite <35 Megaohms)
- convient pour l'alimentation en inserts (DGUV 112-191/BGR 191)
- largeur standard W10

| | |
|--|------------------------------|
| N° d'article | WL28524 |
| mannequin | A 280 ESD |
| Ligne de modèle | A 280 ESD |
| Fabricant | ATLAS |
| Fabricant Numéro d'article | 97800-43 |
| Longueur avec emballage | 350 mm |
| Largeur avec emballage | 250 mm |
| Hauteur avec emballage | 150 mm |
| Unité de vente | 1 paire |
| Unité de contenu | 1 paire |
| spécification de la couleur du fabricant | black |
| Couleur | noir |
| concret | soft cowhide |
| Capuchon de protection | oui |
| Chaussures d'exécution | chaussure basse |
| Classification de sécurité | S2 |
| Semelle de chaussure | Sneaker sole technology |
| Largeur de la chaussure | W10 (largeur standard) |
| Chaussures d'équipement | • Système d'amortissement 3D |

- rembourrage fonctionnel aktiv-X
- technologie de semelles de baskets
- cuir vachette pleine fleur

| | |
|-----------------------------------|-------------------------|
| Matériau Chaussures | cuir de vachette souple |
| Pointure EU | 43 |
| Conforme aux normes ESD | oui |
| Catégories à risques (décret PSA) | Catégorie 2 |

Autres versions

| N° d'article | Pointure EU |
|----------------|-------------|
| WL41288 | 36 |
| WL41287 | 37 |
| WL28519 | 38 |
| WL41283 | 39 |
| WL28521 | 40 |
| WL41284 | 41 |
| WL28523 | 42 |
| WL28524 | 43 |
| WL28525 | 44 |
| WL28526 | 45 |
| WL28527 | 46 |
| WL55331 | 47 |
| WL55332 | 48 |
| WL55333 | 49 |