

## Baskets ESD noir 43

---



---

At ATLAS®, only the best quality cowhides are processed. An extremely careful selection process ensures that only flawless, high-quality and soft leathers are used.

The ATLAS® sneaker sole technology - light, flexible and top fashionable. The new sneaker generation stands for a wide range of uses and maximum protection. An innovative shoe concept that signals a young attitude to life at first glance. With casual sportiness and plenty of freedom, the sneakers prove to be ideal companions day after day - not only in the working world.

The anatomically shaped steel toe cap protects the foot in the toe area against impact of min. 200 joules and a compressive stress of min. 15 kN, according to EN ISO 20345:2012.

Particularly in everyday working life, with high physical stress, temperature-regulating properties are not only required, but expected. The aktiv-X functional lining stands for the highest quality, innovative technology and offers the wearer permanent, active moisture

regulation. The aktiv-X functional lining regulates moisture and ensures that the shoes dry again quickly. It does not stain, is skin-friendly and abrasion-resistant.

Work healthier with the right cushioning. The new 3D cushioning system from ATLAS® enables noticeably gentle and fatigue-free walking. The basis for this outstanding walking comfort is formed by three basic components: Pressure relief. Cushioning. Dynamics. This is ensured by the perfect interaction of a pressure-relieving insole and the light and responsive MPU sole technology.

geeignet für die Einlagenversorgung-DGUV 112-191

ATLAS® offers you a wide range of different orthopaedic insoles. The articles marked here are suitable for orthopaedic insoles according to DGUV regulation 112-191. The marking on the shoe is decisive for this.

- EN ISO 20345 S2
- ESD (résistance de fuite <35 Megaohms)
- convient pour l'alimentation en inserts (DGUV 112-191/BGR 191)
- largeur standard W10

<b>N° d'article</b>	<b>WL28524</b>
mannequin	A 280 ESD
Ligne de modèle	A 280 ESD
Fabricant	ATLAS
Fabricant Numéro d'article	97800-43
Informations sur le fabricant du GPSR	ATLAS-Schuhfabrik GmbH & Co.KG Frische Luft 159 DE-44319 Dortmund www.atlasschuhe.de
Longueur avec emballage	350 mm
Largeur avec emballage	250 mm
Hauteur avec emballage	150 mm
Unité de vente	1 paire
Unité de contenu	1 paire
spécification de la couleur du fabricant	black
Couleur	noir
concret	soft cowhide
Capuchon de protection	oui
Chaussures d'exécution	chaussure basse
Classification de sécurité	S2

Semelle de chaussure	Sneaker sole technology
Largeur de la chaussure	W10 (largeur standard)
Chaussures d'équipement	<ul style="list-style-type: none"> <li>• Système d'amortissement 3D</li> <li>• rembourrage fonctionnel aktiv-X</li> <li>• technologie de semelles de baskets</li> <li>• cuir vachette pleine fleur</li> </ul>
Matériau Chaussures	cuir de vachette souple
Pointure EU	43
Conforme aux normes ESD	oui
Catégories à risques (décret PSA)	Catégorie 2

## Autres versions

N° d'article	Pointure EU
WL41288	36
WL41287	37
WL28519	38
WL41283	39
WL28521	40
WL41284	41
WL28523	42
<b>WL28524</b>	<b>43</b>
WL28525	44
WL28526	45
WL28527	46
WL55331	47
WL55332	48
WL55333	49