

Station de dessoudage à deux canaux avec pistolet à dessouder MX-DS1



The MX-5200 Soldering, Desoldering, and Rework Series has increased power and process control, with dual-simultaneous ports for two users or a single user with dual applications. The MX-5200 can be operated with two handpieces dynamically sharing the 80-watt output power based on demand, adding even more application flexibility and speed. A built-in Net Power Meter displays a graphical and numerical representation of the power applied to the cartridge. User Programmable Power Save Mode: the time to enter Power Save Mode is adjustable from 10 to 120 minutes. Ground Fault Interrupt: AC ground monitor detects power line ground failures and immediately alerts the operator and shuts down the system. Universal Power Supply: automatically senses the input line voltage and adjusts accordingly, which allows for worldwide operation without adaptors or a change in performance. Full compatibility with existing and previous MX upgrade kits, tip-cartridges, handpieces, and accessories.

FAST TIME-TO-RECOVERY:

Delivers increased production rates and throughput no matter the application. The MX-5200 super-charged power supply seamlessly tackles the challenges of high-mass components, multilayered boards, and lead-free solders.

SMARTHEAT® PROCESS CONTROL:

The technology built into every Metcal SmartHeat® system means that soldering and rework are always performed at safe, controlled temperatures. Metcal users know that moderate fixed temperatures, where power is varied, provide the best assurance for a well-controlled soldering and rework process.

- pour le dessoudage de composants avec trou traversant plaqué
- poignée antidérapante
- L'outil à main "shop-air" offre, en combinaison avec la nouvelle double alimentation simultanée, une puissance calorifique sans précédent
- peut faire fonctionner deux pièces à main, qui se partagent dynamiquement la puissance de sortie de 80 watts selon les besoins
- Un meilleur contrôle des processus grâce à la technologie SmartHeat
- L'EDD en toute sécurité
- Compteur d'énergie intégré avec affichage numérique et graphique à barres qui fournit un retour d'information dynamique à l'opérateur sur l'état du processus de soudage
- Le support de travail Metcal TipSaver améliore la durée de vie des embouts grâce à la fonction "Auto-Sleep"

Numéro d'article	WL28582
Modèle	MX-5250
Fabricant	METCAL
Numéro d'article du fabricant	MX-5250
Données du fabricant du GPSR	OK International Ltd Eagle Close, Chandlers Ford GB-SO53 4NF Hampshire www.metcal.com
Contenu de la livraison	MX-PS5200 : alimentation électrique, entrée 100 à 240 VAC, double port de commutation avec écran LCD MX-DS1 : pièce à main de pistolet à dessouder avec un tampon pour retirer la cartouche MX-W5DS : Support de travail pour dessouder la pièce à main d'un pistolet avec une éponge et un tampon en laiton AC-CB1 : Brosse de nettoyage de la chambre de dessoudage AC-CB2 : Brosse de nettoyage de tuyaux MX-DCF1 : revêtement de chambre et ensemble de filtres

	AC-TC : Nettoyant pour panne de dessoudage MX-RM8E : dessoudage de câble MX-DAH4 : tuyau d'air ESD avec raccord
Unité de vente	1 pièce
Unité de contenu	1 pièce
Station (type)	station de dessoudage
Conforme aux normes ESD	non