

Pinces coupantes en bout



1 Million Movements - Magic Spring™ design enables maximum durability with constant spring force movements

Quality - Uncompromising Swiss quality created to be strong, durable and sharp

Precision - Experience precise cuts from the high-precision screw joint that enables a smooth action with no jaw overlap

Strong and Sharp - Hand-crafted cutting edges for superior strength and sharpness

Comfort, Security and Grip - Ergonomically-shaped handles provide superior comfort and fatigue-free handling with Maximum Opening Stop Technology

ESD Safe - made from ESD-safe material to prevent damage to sensitive components

The angled head provides for precise cuts at different working angles

End cutting pliers, broad head, angled, beveled

Weller Erem® Cutters are designed to be strong, durable and sharp, having the highest

precision available. Manufactured with uncompromising Swiss quality and created for

worldwide applications, including electronics assembly and healthcare, Weller Erem

Cutters are built to last. The signature high-performance cutters set the industry standard

Products for the electronic industry



with features that include Weller Erem Magic Spring™ providing over one million consistent, precise and accurate movements, High-Precision Screw Joint, and Maximum Opening Stop Technology. Feel the difference with Weller Erem® – the proven choice. Every time. The Weller Erem Series 500 Micro is a full range of medium sized, robust, precision cutters with a wide range of head shapes. The cutters are manufactured from high grade tool steel. The cutting edges are hardened to Rockwell 63-65 HRC. The precision cutters have a nonreflecting surface, are ESD safe and resharable.

- Pince coupante en bout, tête large, coudée, en biseau

| | |
|------------------------------------|---|
| Numéro d'article | WL50977 |
| Fabricant | Weller Erem |
| Numéro d'article du fabricant | 504E |
| Données du fabricant du GPSR | WELLER Tools GmbH Carl-Benz-Strasse 2 DE-74354 Besigheim www.weller.eu |
| Unité de vente | 1 pièce |
| Unité de contenu | 1 pièce |
| VDE | non |
| Largeur de la tête | 11 mm |
| Conforme aux normes ESD | non |
| Épaisseur de la tête | 6 mm |
| Longueur de la tête | 20,2 mm |
| Longueur de l'outil | 110 mm |
| Type de pinces coupantes latérales | pinces coupantes |
| Longueur de coupe | 10 mm |