ESD Pince coupante diagonale - tête ovale



Side cutter 622N + "W" = wire holder
W : Safety device for holding wire scraps This safety device for side cutters holds wire scraps securely ater cutting. Available for all Series 500, 600, 2400 & 2600 cutters. Order suffix "W", e.g.595EW
W : Safety device for holding wire scraps This safety device for side cutters holds wire scraps securely ater cutting. Available for all Series 500, 600, 2400 & 2600 cutters. Order suffix "W", e.g.595EW
This is the most widely used head shape.
Fits for all cutting applications where easy access is given
It is robust and size for size offers the highest cutting capacity.
Side cutter 622N + "W" = wire holder
1 Million Movements - Magic Spring™ design enables maximum durability with constant spring force movements
Precision - Experience precise cuts from the high-precision screw joint that enables a smooth action with no jaw overlap

Uncompromising Swiss quality created to be strong, durable and sharp
Strong and Sharp - Hand-crafted cutting edges for superior strength and sharpness
Comfort, Security and Grip - Ergonomically-shaped handles provide superior comfort and fatigue-free handling with Maximum Opening Stop Technology
ESD Safe - made from ESD-safe material to prevent damage to sensitive components
Weller Erem® Cutters are designed to be strong, durable and sharp, having the highest precision available. Manufactured with uncompromising Swiss quality and created for worldwide applications, including electronics assembly and healthcare, Weller Erem Cutters are built to last. The signature high-performance cutters set the industry standard with features that include Weller Erem Magic Spring™ providing over one million consistent, precise and accurate movements, High-Precision Screw Joint, and Maximum Opening Stop Technology. Feel the difference with Weller Erem® – the proven choice. Every time.
1500 Weller Erem pneumatic side cutters are light and precise. Thanks to a selection of different cutting heads they can operate extremely versatile. The cutters are suitable for cutting conventional components, soft metals or small plastic parts. The cutting heads can be interchanged easily.
• Il s’agit de la forme de tête standard
• Elle est utilisée pour toutes les opérations de découpe à des endroits facilement accessibles
• La tête robuste garantit une capacité de coupe élevée
• Pince coupante de côté, identique à la 622N (T622N), avec le système optionnel de retenue de fil

Numéro d'article	**WL50985**
Fabricant	Weller Erem
Numéro d'article du fabricant	622NW
Données du fabricant du GPSR	WELLER Tools GmbH Carl-Benz-Strasse 2 DE-74354 Besigheim www.weller-tools.com
Unité de vente	1 pièce
Unité de contenu	1 pièce
VDE	non
Largeur de la tête	9 mm
Conforme aux normes ESD	oui
Épaisseur de la tête	6 mm
Longueur de la tête	17 mm
Longueur de l'outil	110 mm
Type de pinces coupantes latérales	pinces coupantes de coté
Longueur de coupe	10 mm

Valeur de coupe diamètre du fil (moyen)	0,8 mm
Valeur de coupe diamètre du fil (doux)	1,3 mm