

Assortimento a crimpare per puntali a filo 275 mm



In the TANOS MINI-systainer® (sturdy plastic box). T-Loc closure for one-handed operation: open or close the systainer® with one turn and connect it to a second systainer® . Opening in linked state: easy and quick access to contents without disconnecting... Two stackable plastic inserts with six wells each for connectors. With an assortment of wire end ferrules with / without plastic collar. with self-adjusting wire stripper 12 40 200. with self-adjusting crimping tool for wire end ferrules 97 53 04. Scope of delivery: 1 x 12 40 200 KNIPEX self-adjusting wire stripper (0.03 - 10.0 mm²), 1 x 97 53 04 KNIPEX self-adjusting crimping tool for wire end ferrules with side entry (0.08 - 10 + 16 mm²), 200 x KNIPEX wire end ferrules with plastic collar 22 / 12 mm (10 mm²), 200 x KNIPEX wire end ferrules with plastic collar 20 / 12 mm (6 mm²), 200 x KNIPEX wire end ferrules with plastic collar 17 / 10 mm (4 mm²), 200 x KNIPEX wire end ferrules with plastic collar 14 / 8 mm (2.5 mm²), 200 x KNIPEX wire end ferrules with plastic collar 14 / 8 mm (1.5 mm²), 100 x KNIPEX wire end ferrules with plastic collar 14 / 8 mm (1 mm²), 100 x KNIPEX wire end ferrules with plastic collar 14 / 8 mm (0.75 mm²), 50 x KNIPEX wire end ferrules with plastic collar 14 / 8 mm (0.5 mm²),

- Nel MINI-systainer® TANOS (scatola di plastica stabile)

- Blocco T-Loc per l'azionamento con una sola mano: aprire o chiudere il systainer® con un giro e collegarlo ad un secondo systainer®.
- Aperto in stato collegato: accedere ai contenuti in modo semplice e veloce senza doversi scollegare
- Due inserti in plastica impilabili con sei incavi ciascuno per i connettori
- Con una gamma di ghiera con / senza collare in plastica
- Con spellafili auto-regolante 12 40 200
- Con pinza a crimpare autoregolante per manicotti terminali a filo 97 53 04
- 200 pezzi ciascuno: 0,5 / 0,75 / 1,0 / 1,5 / 2,5 mm².
- per 100 pezzi: 4,0 / 6,0 mm².
- 50 pezzi ciascuno: 10,0 mm².

Articolo n.	WL27709
Modello	97 90 10
Produttore	KNIPEX
Codice articolo del produttore	97 90 10
Dati del produttore GPSR	KNIPEX-Werk Oberkamper Strasse 13 DE-42349 Wuppertal-Cronenberg www.knipex.de
Lunghezza	275 mm
Larghezza	170 mm
Altezza	68 mm
Lunghezza con imballaggio	265 mm
Larghezza con imballaggio	168 mm
Altezza con imballaggio	67 mm
Volume con imballaggio	2,983 dm ³
Contenuto della confezione	With self-adjusting crimping tool for wire end ferrules KNIPEX 97 53 04 Self-adjusting wire stripper KNIPEX 12 40 200 In TANOS MINI-systainer® (sturdy plastic box) with two stackable plastic inserts, each with 6 wells for connectors 200x ferrules each with plastic collar 0.5/0.75/1/1.5/2.5 mm 100x ferrules with plastic collar 4/6 mm each 50 ferrules with plastic collar 10 mm
Unità di vendita	1 Set
Unità di contenuto	1 Set
Incl. batteria	No

Conforme alla direttiva RoHS	No
VDE	No
Tipo di pinza	Pinze Per Crimpare

