WT 1010H, cyfrowa 1-kanałowa stacja lutownicza, 150 W



This is how soldering works today
If 90 watts are not enough, then the high-power version with 150 watts is the right solution. The new powerful WT soldering stations set new standards in terms of user-friendliness. The detailed LC display provides a detailed overview of all functions - quickly and easily accessed via the new intuitive menu button. The lightning-fast exchange of the heating element during operation will in future enable work with several tips in quick change. If a tip needs to be replaced, this is done independently of the heating element - which saves enormous costs. The innovative 2-in-1 tray with rotatable plunger holder ensures a free choice between wet and dry cleaning. All stations of the WT-Line fit perfectly on top of each other, thus saving considerable space at the workplace.

Front-mounted power switch
The front-mounted power switch ensures easy operation at all times.

Multifunctional LC display
Unique LC display with detailed overview of all functions. Adjustable backlight. Power bar graph allows you to visually check the current power of the soldering station.

Comfortable menu button
The new menu button ensures maximum user-friendliness and easy navigation in the menu structure.

Space-saving
The WT 1 / WT 1H can be stacked on top of the WTHA 1 to ensure more space at the workstation.

2-in-1 WSR tray
The piston holder can be rotated 180°. The user can choose between wet and dry cleaning.
• Funkcja blokady
• Wyświetlacz: LCD / Podświetlenie tła
• Połączenie wyrównawcze
• Kompatybilność z WT

Numer artykułu.	**WL37343**
Model	WT 1010H Set
Linia modelowa	WT 1H
Producent	WELLER
Numer artykułu producenta.	T0053438699N
Dane producenta GPSR	WELLER Tools GmbH Carl-Benz-Strasse 2 DE-74354 Besigheim www.weller-tools.com
Długość	149 mm
Szerokość	138 mm
Wysokość	101 mm
Zakres dostawy	1x 1-channel supply unit WT 1H 1x WP 120 soldering iron 1x soldering tip XT B 1x WSR 201 safety rest 1x rubber rest 1x mains plug 1x instruction manual
Długość w calach	5,87 in
Szerokość w calach	5,43 in
Wysokość w calach	3,98 in
Jednostka sprzedaży	1 Zestaw
Jednostka treści	1 zestaw

Moc	150 W
Moc znamionowa	150 W
Woltaż	230 V
Zakres temperatur °C	50 – 550 °C
Zakres temperatur °F	150 – 950 °F
Dokładność temperatury °F	±17 °F
Dołączona(e) półka(i)	WSR 201
Dołączona/e końcówka/i lutownicza/e	XT B
Dołączona jednostka sterująca	WT 1H
Dołączona lutownica	WP 120
Stacja (typ)	Stacja lutownicza
Stabilność temperatury °C	±2 °C
Stabilność temperatury °F	±4 °F
Liczba kanałów	1
Zgodny z ESD	tak